

FOR PROTECTION OF UNDERGROUND UTILITIES AND IN CONFORMANCE WITH PUBLIC ACT 53, THE CONTRACTOR SHALL DIAL 1-800-482-7171 OR 811 A MINIMUM OF THREE FULL WORKING DAYS, EXCLUDING SATURDAYS, SUNDAYS, AND HOLIDAYS PRIOR TO THE BEGINNING OF EACH EXCAVATION IN AREAS WHERE PUBLIC UTILITIES HAVE NOT BEEN PREVIOUSLY LOCATED.


REFERENCES TO SPECIFICATIONS:

THE IMPROVEMENTS COVERED BY THESE PLANS SHALL BE DONE IN ACCORDANCE WITH THE PROJECT DRAWINGS, NOTES, AND THE APPLICABLE SECTIONS OF THE 2020 MDOT STANDARD SPECIFICATIONS FOR CONSTRUCTION.


ALL TRAFFIC CONTROL DEVICES SHALL BE IN ACCORDANCE WITH THE MOST CURRENT VERSION OF THE MICHIGAN MANUAL OF TRAFFIC CONTROL DEVICES

CITY OF HILLSDALE


2023 PARKING LOT PRESERVATION and RESTORATION PROJECT



AREA MAP



SHEET	DESCRIPTION
1	COVER SHEET
2	LOT A - 45 S. HOWELL ST.
3	LOT C - 15 N. MANNING ST.
4	LOT E - 48 E. CARLETON ST.
5	LOT F - 39 N. MANNING ST.
6	LOT G & J - NORTH @ UNION ST.
7	CITY HALL LOT - 97 N. BROAD ST.
8	LOT H & I - 11 N. MANNING ST.
9	LOT K - 20 NORTH ST.



	NAME	DATE
DESIGNED	KB	06/29/23
DRAWN	KB	06/29/23
CHECKED	KB	06/29/23



QUANTITIES LISTED ABOVE ARE APPROXIMATE AND FOR INFORMATIONAL PURPOSES ONLY. CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING PROJECT SITES AND PERFORMING THEIR OWN TAKE-OFFS AS NECESSARY TO VERIFY QUANTITIES.

WORK ITEMS THIS SHEET:

SEAL COAT, 1ST APPLICATION SYD 1592 SEAL COAT, 2ND APPLICATION SYD 1592 PAVT MARKG, WATERBORNE, 4 INCH YELLOW FT 797 PAVT MARKG, WATERBORNE, 4 INCH BLUE 128 PAVT MARKG, HANDICAP SYM 4 PAVT MARKG, ARROW SYM CRACK SEALING, QUANTITY TBD BY CONTRACTOR PER SPECIFICATION REQUIREMENTS. COSTS TO BE INCLUDED IN LUMP SUM PRICING FOR EACH LOT.

CONSTRUCTION NOTES:

- 1. PROVIDE THE CITY OF HILLSDALE 72 HOURS ADVANCED NOTICE PRIOR TO BEGINNING WORK ON ANY PARKING AREA(S).
- CONTRACTOR TO FURNISH AND PLACE LIGHTED CLASS ONE (1) BARRICADES AND/OR LIGHTED BARRELS TO PROHIBIT VEHICLES AND PEDESTRIANS FROM ENTERING THE WORK ZONE. BARRICADES/BARRELS TO BE FURNISHED WITH "PARKING LOT CLOSED" SIGNS. THESE COSTS SHALL BE INCLUDED IN THE LUMP SUM PRICE FOR EACH LOT.
- CONTRACTOR TO REMOVE & REINSTALL ANY BUMPER BLOCKS AS NECESSARY TO APPLY CONTINUOUS SEAL COAT.
- CITY OF HILLSDALE STAFF MAY PERFORM ISOLATED HMA PATCH WORK IN ADVANCE OF THE CONTRACTORS CRACK SEALING AND SEAL COATING WORK. CONTRACTOR SHALL COORDINATE WITH CITY STAFF AS NECESSARY.
- POWER BROOM, BLOW OR VACUUM ENTIRE HMA
- REMOVE ANY VEGETATION & CLEAN CRACKS WITH COMPRESSED AIR AND APPLY SEALANT PER PROJECT SPECIFICATION.
- APPLY TAR EMULSION SEALER PER ASTM D-5727-00.
- ALLOW SEALER TO PROPERLY CURE, APPLY PAVEMENT MARKING PAINT TO REESTABLISH EXISTING PAVEMENT MARKING STRIPS AND SYMBOLS.



97 N BROAD/45 MONROE ST. HILLSDALE, MI 49242



Board of Public Utilities **REVISIONS** DATE

7/6/2023

ISSUED FOR BIDS

PRESERVATION S. SDALI

and RESTORATION PROJECT HOWELL SDALE LOT S 2 2023 PARKING 4 \triangleleft

SCALE

O

	NAME	DATE
DESIGNED	KB	06/29/23
DRAWN	KB	06/29/23
CHECKED	KB	06/29/23



QUANTITIES LISTED ABOVE ARE APPROXIMATE AND FOR INFORMATIONAL PURPOSES ONLY. CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING PROJECT SITES AND PERFORMING THEIR OWN TAKE-OFFS AS NECESSARY TO VERIFY QUANTITIES.

WORK ITEMS THIS SHEET:

SEAL COAT, 1ST APPLICATION SYD 5625 SEAL COAT, 2ND APPLICATION SYD 5625 PAVT MARKG, WATERBORNE, 4 INCH YELLOW FT 1460 PAVT MARKG, WATERBORNE, 4 INCH BLUE 420 PAVT MARKG, HANDICAP SYM CRACK SEALING, QUANTITY TBD BY CONTRACTOR PER SPECIFICATION REQUIREMENTS. COSTS TO BE INCLUDED IN LUMP SUM PRICING FOR EACH LOT.

CONSTRUCTION NOTES:

- PROVIDE THE CITY OF HILLSDALE 72 HOURS ADVANCED NOTICE PRIOR TO BEGINNING WORK ON ANY PARKING AREA(S).
- CONTRACTOR TO FURNISH AND PLACE LIGHTED CLASS ONE (1) BARRICADES AND/OR LIGHTED BARRELS TO PROHIBIT VEHICLES AND PEDESTRIANS FROM ENTERING THE WORK ZONE. BARRICADES/BARRELS TO BE FURNISHED WITH "PARKING LOT CLOSED" SIGNS. THESE COSTS SHALL BE INCLUDED IN THE LUMP SUM PRICE FOR EACH LOT.
- CONTRACTOR TO REMOVE & REINSTALL ANY BUMPER BLOCKS AS NECESSARY TO APPLY CONTINUOUS SEAL COAT.
- CITY OF HILLSDALE STAFF MAY PERFORM ISOLATED HMA PATCH WORK IN ADVANCE OF THE CONTRACTORS CRACK SEALING AND SEAL COATING WORK. CONTRACTOR SHALL COORDINATE WITH CITY STAFF AS NECESSARY.
- POWER BROOM, BLOW OR VACUUM ENTIRE HMA SURFACE.
- REMOVE ANY VEGETATION & CLEAN CRACKS WITH COMPRESSED AIR AND APPLY SEALANT PER PROJECT SPECIFICATION.
- APPLY TAR EMULSION SEALER PER ASTM D-5727-00.
- ALLOW SEALER TO PROPERLY CURE, APPLY PAVEMENT MARKING PAINT TO REESTABLISH EXISTING PAVEMENT MARKING STRIPS AND SYMBOLS.



97 N BROAD/45 MONROE ST. HILLSDALE, MI 49242



Board of Public Utilities **REVISIONS** DATE ISSUED FOR BIDS 7/6/2023

LOT PRESERVATION and RESTORATION PROJECT SDALE SDALE 2023 PARKING

S

N. MANNING

2

 $\overline{}$

1

C

LOT

SCALE 1:40

HLL

OF P

	NAME	DATE
DESIGNED	KB	06/29/23
DRAWN	KB	06/29/23
CHECKED	KB	06/29/23



. QUANTITIES LISTED ABOVE ARE APPROXIMATE AND FOR INFORMATIONAL PURPOSES ONLY. CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING PROJECT SITES AND PERFORMING THEIR OWN TAKE-OFFS AS NECESSARY TO VERIFY QUANTITIES.

WORK ITEMS THIS SHEET:

SEAL COAT, 1ST APPLICATION SYD 1445
SEAL COAT, 2ND APPLICATION SYD 1445
PAVT MARKG, WATERBORNE, 4 INCH YELLOW FT 452
PAVT MARKG, WATERBORNE, 4 INCH BLUE FT 80
PAVT MARKING, HANDICAP SYM EA 2
CRACK SEALING, QUANTITY TBD BY CONTRACTOR PER
SPECIFICATION REQUIREMENTS. COSTS TO BE INCLUDED
IN LUMP SUM PRICING FOR EACH LOT.

CONSTRUCTION NOTES:

- PROVIDE THE CITY OF HILLSDALE 72 HOURS
 ADVANCED NOTICE PRIOR TO BEGINNING WORK ON
 ANY PARKING AREA(S).
- 2. CONTRACTOR TO FURNISH AND PLACE LIGHTED CLASS ONE (1) BARRICADES AND/OR LIGHTED BARRELS TO PROHIBIT VEHICLES AND PEDESTRIANS FROM ENTERING THE WORK ZONE.

 BARRICADES/BARRELS TO BE FURNISHED WITH "PARKING LOT CLOSED" SIGNS. THESE COSTS SHALL BE INCLUDED IN THE LUMP SUM PRICE FOR EACH LOT.
- CONTRACTOR TO REMOVE & REINSTALL ANY BUMPER BLOCKS AS NECESSARY TO APPLY CONTINUOUS SEAL COAT.
- 4. CITY OF HILLSDALE STAFF MAY PERFORM ISOLATED HMA PATCH WORK IN ADVANCE OF THE CONTRACTORS CRACK SEALING AND SEAL COATING WORK. CONTRACTOR SHALL COORDINATE WITH CITY STAFF AS NECESSARY.
- POWER BROOM, BLOW OR VACUUM ENTIRE HMA SURFACE.
- REMOVE ANY VEGETATION & CLEAN CRACKS WITH COMPRESSED AIR AND APPLY SEALANT PER PROJECT SPECIFICATION.
- . APPLY TAR EMULSION SEALER PER ASTM D-5727-00.
- 8. ALLOW SEALER TO PROPERLY CURE, APPLY PAVEMENT MARKING PAINT TO REESTABLISH EXISTING PAVEMENT MARKING STRIPS AND SYMBOLS.



97 N BROAD/45 MONROE ST. HILLSDALE, MI 49242



Board of ▶ Public Utilities

REVISIONS DATE

ISSUED FOR BIDS 7/6/2023

HILLSDALE, MI
2023 PARKING LOT PRESERVATION
and RESTORATION PROJECT
LOT E - 48 E. CARLETON ST.

SCALE 1:40

SDALE

 \exists

 $\overline{\mathsf{O}}$

	NAME	DATE
DESIGNED	KB	06/29/23
DRAWN	KB	06/29/23
CHECKED	KB	06/29/23

DRAWING NO.



QUANTITIES LISTED ABOVE ARE APPROXIMATE AND FOR INFORMATIONAL PURPOSES ONLY. CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING PROJECT SITES AND PERFORMING THEIR OWN TAKE-OFFS AS NECESSARY TO VERIFY QUANTITIES.

WORK ITEMS THIS SHEET:

SEAL COAT, 1ST APPLICATION SYD 1405 SEAL COAT, 2ND APPLICATION SYD 1405 PAVT MARKG, WATERBORNE, 4 INCH YELLOW FT 465 PAVT MARKG, WATERBORNE, 4 INCH BLUE 175 PAVT MARKG, HANDICAP SYM CRACK SEALING, QUANTITY TBD BY CONTRACTOR PER SPECIFICATION REQUIREMENTS. COSTS TO BE INCLUDED IN LUMP SUM PRICING FOR EACH LOT.

CONSTRUCTION NOTES:

- 1. PROVIDE THE CITY OF HILLSDALE 72 HOURS ADVANCED NOTICE PRIOR TO BEGINNING WORK ON ANY PARKING AREA(S).
- CONTRACTOR TO FURNISH AND PLACE LIGHTED CLASS ONE (1) BARRICADES AND/OR LIGHTED BARRELS TO PROHIBIT VEHICLES AND PEDESTRIANS FROM ENTERING THE WORK ZONE. BARRICADES/BARRELS TO BE FURNISHED WITH "PARKING LOT CLOSED" SIGNS. THESE COSTS SHALL BE INCLUDED IN THE LUMP SUM PRICE FOR EACH LOT.
- CONTRACTOR TO REMOVE & REINSTALL ANY BUMPER BLOCKS AS NECESSARY TO APPLY CONTINUOUS SEAL COAT.
- CITY OF HILLSDALE STAFF MAY PERFORM ISOLATED HMA PATCH WORK IN ADVANCE OF THE CONTRACTORS CRACK SEALING AND SEAL COATING WORK. CONTRACTOR SHALL COORDINATE WITH CITY STAFF AS NECESSARY.
- POWER BROOM, BLOW OR VACUUM ENTIRE HMA
- REMOVE ANY VEGETATION & CLEAN CRACKS WITH COMPRESSED AIR AND APPLY SEALANT PER PROJECT SPECIFICATION.
- APPLY TAR EMULSION SEALER PER ASTM D-5727-00.
- ALLOW SEALER TO PROPERLY CURE, APPLY PAVEMENT MARKING PAINT TO REESTABLISH EXISTING PAVEMENT MARKING STRIPS AND SYMBOLS.



97 N BROAD/45 MONROE ST. HILLSDALE, MI 49242



Board of Public Utilities

REVISIONS DATE ISSUED FOR BIDS 7/6/2023

ST N. MANNING SDALE

LOT PRESERVATION and RESTORATION PROJECT HLL SDALE 2023 PARKING

39

Ш

LOT

SCALE 1:30

OF P

	NAME	DATE
DESIGNED	KB	06/29/23
DRAWN	KB	06/29/23
CHECKED	KB	06/29/23

DRAWING NO.



QUANTITIES LISTED ABOVE ARE APPROXIMATE AND FOR INFORMATIONAL PURPOSES ONLY. CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING PROJECT SITES AND PERFORMING THEIR OWN TAKE-OFFS AS NECESSARY TO VERIFY QUANTITIES.

WORK ITEMS LOT "G":

SEAL COAT, 1ST APPLICATION SYD 256 SEAL COAT, 2ND APPLICATION SYD 256 PAVT MARKG, WATERBORNE, 4 INCH YELLOW FT 200 CRACK SEALING, QUANTITY TBD BY CONTRACTOR PER SPECIFICATION REQUIREMENTS. COSTS TO BE INCLUDED IN LUMP SUM PRICING FOR EACH LOT.

WORK ITEMS LOT "J":

SEAL COAT, 1ST APPLICATION SYD 690 SEAL COAT, 2ND APPLICATION PAVT MARKG, WATERBORNE, 4 INCH YELLOW FT 180 PAVT MARKG, WATERBORNE, 4 INCH BLUE 60 PAVT MARKG, ARROW SYM PAVT MARKG, HANDICAP SYM EΑ CRACK SEALING, QUANTITY TBD BY CONTRACTOR PER SPECIFICATION REQUIREMENTS. COSTS TO BE INCLUDED IN LUMP SUM PRICING FOR EACH LOT.

CONSTRUCTION NOTES:

- PROVIDE THE CITY OF HILLSDALE 72 HOURS ADVANCED NOTICE PRIOR TO BEGINNING WORK ON ANY PARKING AREA(S).
- CONTRACTOR TO FURNISH AND PLACE LIGHTED CLASS ONE (1) BARRICADES AND/OR LIGHTED BARRELS TO PROHIBIT VEHICLES AND PEDESTRIANS FROM ENTERING THE WORK ZONE. BARRICADES/BARRELS TO BE FURNISHED WITH "PARKING LOT CLOSED" SIGNS. THESE COSTS SHALL BE INCLUDED IN THE LUMP SUM PRICE FOR EACH LOT.
- CONTRACTOR TO REMOVE & REINSTALL ANY BUMPER BLOCKS AS NECESSARY TO APPLY CONTINUOUS SEAL COAT.
- CITY OF HILLSDALE STAFF MAY PERFORM ISOLATED HMA PATCH WORK IN ADVANCE OF THE CONTRACTORS CRACK SEALING AND SEAL COATING WORK. CONTRACTOR SHALL COORDINATE WITH CITY STAFF AS NECESSARY.
 POWER BROOM, BLOW OR VACUUM ENTIRE HMA
- REMOVE ANY VEGETATION & CLEAN CRACKS WITH COMPRESSED AIR AND APPLY SEALANT PER PROJECT SPECIFICATION.
- APPLY TAR EMULSION SEALER PER ASTM D-5727-00.
- ALLOW SEALER TO PROPERLY CURE, APPLY

HILLS DALE	
Family · Tradition · Opportunity	<u>ഉ</u>

97 N BROAD/45 MONROE ST. HILLSDALE, MI 49242



Board of Public Utilities **REVISIONS** DATE

7/6/2023

S

NOINO

(B)

NORTH

ı

 \neg

∞

Ŋ

LO

ISSUED FOR BIDS


LOT PRESERVATION RESTORATION PROJECT SDALE 믈 SDALE 2023 PARKING and

SCALE 1:40

O

	NAME	DATE
DESIGNED	KB	06/29/23
DRAWN	KB	06/29/23
CHECKED	KB	06/29/23

DRAWING NO.



I. QUANTITIES LISTED ABOVE ARE APPROXIMATE AND FOR INFORMATIONAL PURPOSES ONLY. CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING PROJECT SITES AND PERFORMING THEIR OWN TAKE-OFFS AS NECESSARY TO VERIFY QUANTITIES.


WORK ITEMS THIS SHEET:

SEAL COAT, 1ST APPLICATION	SYD	356
SEAL COAT, 2ND APPLICATION	SYD	356
PAVT MARKG, WATERBORNE, 4 INCH YELLOW	FT	336
PAVT MARKG, WATERBORNE, 4 INCH BLUE	FT	137
PAVT MARKG, HANDICAP SYM	EA	2
CRACK SEALING, QUANTITY TBD BY CONTRAC	TOR PE	R
SPECIFICATION REQUIREMENTS. COSTS TO B	E INCL	UDED
IN LUMP SUM PRICING FOR EACH LOT.		

CONSTRUCTION NOTES:

- PROVIDE THE CITY OF HILLSDALE 72 HOURS
 ADVANCED NOTICE PRIOR TO BEGINNING WORK ON ANY PARKING AREA(S).
- 2. CONTRACTOR TO FURNISH AND PLACE LIGHTED CLASS ONE (1) BARRICADES AND/OR LIGHTED BARRELS TO PROHIBIT VEHICLES AND PEDESTRIANS FROM ENTERING THE WORK ZONE.

 BARRICADES/BARRELS TO BE FURNISHED WITH "PARKING LOT CLOSED" SIGNS. THESE COSTS SHALL BE INCLUDED IN THE LUMP SUM PRICE FOR EACH LOT.
- 3. CONTRACTOR TO REMOVE & REINSTALL ANY BUMPER BLOCKS AS NECESSARY TO APPLY CONTINUOUS SEAL COAT.
- 4. CITY OF HILLSDALE STAFF MAY PERFORM ISOLATED HMA PATCH WORK IN ADVANCE OF THE CONTRACTORS CRACK SEALING AND SEAL COATING WORK. CONTRACTOR SHALL COORDINATE WITH CITY STAFF AS NECESSARY.
- POWER BROOM, BLOW OR VACUUM ENTIRE HMA SURFACE.
- 6. REMOVE ANY VEGETATION & CLEAN CRACKS WITH COMPRESSED AIR AND APPLY SEALANT PER PROJECT SPECIFICATION.
- . APPLY TAR EMULSION SEALER PER ASTM D-5727-00.
- ALLOW SEALER TO PROPERLY CURE, APPLY
 PAVEMENT MARKING PAINT TO REESTABLISH
 EXISTING PAVEMENT MARKING STRIPS AND
 SYMBOLS.



97 N BROAD/45 MONROE ST. HILLSDALE, MI 49242



Board of Public Utilities
REVISIONS DATE
ISSUED FOR BIDS 7/6/2023

ST

BROAD

ż

97

LOT


CITY HALL

CITY OF HILLSDALE HILLSDALE, MI 2023 PARKING LOT PRESERVATION and RESTORATION PROJECT

SCALE 1:30

	NAME	DATE
DESIGNED	KB	06/29/23
DRAWN	KB	06/29/23
CHECKED	KB	06/29/23

DRAWING NO.



QUANTITIES LISTED ABOVE ARE APPROXIMATE AND FOR INFORMATIONAL PURPOSES ONLY. CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING PROJECT SITES AND PERFORMING THEIR OWN TAKE-OFFS AS NECESSARY TO VERIFY QUANTITIES.

WORK ITEMS THIS SHEET, LOT I

SEAL COAT. 1ST APPLICATION SYD 1540 SEAL COAT, 2ND APPLICATION SYD 1540 PAVT MARKG, WATERBORNE, 4 INCH YELLOW FT 510 PAVT MARKG, WATERBORNE, 4 INCH BLUE 205 PAVT MARKG, HANDICAP SYM CRACK SEALING, QUANTITY TBD BY CONTRACTOR PER SPECIFICATION REQUIREMENTS. COSTS TO BE INCLUDED IN LUMP SUM PRICING FOR EACH LOT.

WORK ITEMS THIS SHEET, LOT H SEAL COAT, 1ST APPLICATION SYD 1860 SEAL COAT, 2ND APPLICATION SYD 1860 PAVT MARKG, WATERBORNE, 4 INCH YELLOW FT 750 CRACK SEALING, QUANTITY TBD BY CONTRACTOR PER SPECIFICATION REQUIREMENTS. COSTS TO BE INCLUDED IN LUMP SUM PRICING FOR EACH LOT.

CONSTRUCTION NOTES:

- 1. PROVIDE THE CITY OF HILLSDALE 72 HOURS ADVANCED NOTICE PRIOR TO BEGINNING WORK ON ANY PARKING AREA(S).
- CONTRACTOR TO FURNISH AND PLACE LIGHTED CLASS ONE (1) BARRICADES AND/OR LIGHTED BARRELS TO PROHIBIT VEHICLES AND PEDESTRIANS FROM ENTERING THE WORK ZONE. BARRICADES/BARRELS TO BE FURNISHED WITH "PARKING LOT CLOSED" SIGNS. THESE COSTS SHALL BE INCLUDED IN THE LUMP SUM PRICE FOR EACH LOT.
- CONTRACTOR TO REMOVE & REINSTALL ANY BUMPER BLOCKS AS NECESSARY TO APPLY CONTINUOUS SEAL COAT.
- CITY OF HILLSDALE STAFF MAY PERFORM ISOLATED HMA PATCH WORK IN ADVANCE OF THE CONTRACTORS CRACK SEALING AND SEAL COATING WORK. CONTRACTOR SHALL COORDINATE WITH CITY STAFF AS NECESSARY.
- POWER BROOM, BLOW OR VACUUM ENTIRE HMA SURFACE.
- REMOVE ANY VEGETATION & CLEAN CRACKS WITH COMPRESSED AIR AND APPLY SEALANT PER PROJECT SPECIFICATION.
- APPLY TAR EMULSION SEALER PER ASTM D-5727-00.
- ALLOW SEALER TO PROPERLY CURE, APPLY PAVEMENT MARKING PAINT TO REESTABLISH EXISTING PAVEMENT MARKING STRIPS AND SYMBOLS.



97 N BROAD/45 MONROE ST. HILLSDALE, MI 49242



Board of Public Utilities **REVISIONS** DATE **ISSUED FOR BIDS** 7/6/2023

S

N. MANNING

 $\overline{}$

 $\overline{}$

1

₩ E

PRESERVATION and RESTORATION PROJEC SDALE 를 SDAL LOT O 2023 PARKING

SCALE

	NAME	DATE
DESIGNED	KB	06/29/23
DRAWN	KB	06/29/23
CHECKED	KB	06/29/23



I. QUANTITIES LISTED ABOVE ARE APPROXIMATE AND FOR INFORMATIONAL PURPOSES ONLY. CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING PROJECT SITES AND PERFORMING THEIR OWN TAKE-OFFS AS NECESSARY TO VERIFY QUANTITIES.

WORK ITEMS THIS SHEET:

SEAL COAT, 1ST APPLICATION SYD 3115
SEAL COAT, 2ND APPLICATION SYD 3115
PAVT MARKG, WATERBORNE, 4 INCH YELLOW FT 1825
PAVT MARKG, WATERBORNE, 4 INCH BLUE FT 315
PAVT MARKG, HANDICAP SYM EA 6
CRACK SEALING, QUANTITY TBD BY CONTRACTOR PER
SPECIFICATION REQUIREMENTS. COSTS TO BE INCLUDED
IN LUMP SUM PRICING FOR EACH LOT.

CONSTRUCTION NOTES:

- PROVIDE THE CITY OF HILLSDALE 72 HOURS
 ADVANCED NOTICE PRIOR TO BEGINNING WORK ON
 ANY PARKING AREA(S).
- 2. CONTRACTOR TO FURNISH AND PLACE LIGHTED CLASS ONE (1) BARRICADES AND/OR LIGHTED BARRELS TO PROHIBIT VEHICLES AND PEDESTRIANS FROM ENTERING THE WORK ZONE.

 BARRICADES/BARRELS TO BE FURNISHED WITH "PARKING LOT CLOSED" SIGNS. THESE COSTS SHALL BE INCLUDED IN THE LUMP SUM PRICE FOR EACH LOT.
- 3. CONTRACTOR TO REMOVE & REINSTALL ANY BUMPER BLOCKS AS NECESSARY TO APPLY CONTINUOUS SEAL COAT.
- 4. CITY OF HILLSDALE STAFF MAY PERFORM ISOLATED HMA PATCH WORK IN ADVANCE OF THE CONTRACTORS CRACK SEALING AND SEAL COATING WORK. CONTRACTOR SHALL COORDINATE WITH CITY STAFF AS NECESSARY.
- POWER BROOM, BLOW OR VACUUM ENTIRE HMA SURFACE.
- REMOVE ANY VEGETATION & CLEAN CRACKS WITH COMPRESSED AIR AND APPLY SEALANT PER PROJECT SPECIFICATION.
- 7. APPLY TAR EMULSION SEALER PER ASTM D-5727-00.
- 8. ALLOW SEALER TO PROPERLY CURE, APPLY PAVEMENT MARKING PAINT TO REESTABLISH EXISTING PAVEMENT MARKING STRIPS AND SYMBOLS.



97 N BROAD/45 MONROE ST. HILLSDALE, MI 49242



Board of Public Utilities
REVISIONS DATE
ISSUED FOR BIDS 7/6/2023

CITY OF HILLSDALE HILLSDALE, MI 2023 PARKING LOT PRESERVATION and RESTORATION PROJECT

S

NORTH

20

 \mathbf{Y}

 SCALE

 1:30

 NAME
 DATE

 DESIGNED
 KB
 06/29/23

 DRAWN
 KB
 06/29/23

 CHECKED
 KB
 06/29/23

DRAWING NO.